

PFW 4000 Series - Display wall mounts



Vogel's PFW 4000 Series is ideal for use in public spaces that cannot be continuously supervised and helps protect displays against theft. A sturdy locking mechanism secures the displays. The slim design creates a clean and elegant look that takes up a minimum of space.

Designed with installation in mind

Vogel's products are designed for quick and easy installation. The PFW 4000 Series features a unique wall plate that allows installers to very precisely compensate for drilling tolerances to ensure level mounting. Mounting hardware is included.

All products in the 4000 Series have a locking feature for easy installation and maximum security.

A solid security bar and padlock provide theft prevention while still allowing easy access to the display for servicing.

All Vogel's 4000 Series products are TÜV5 certified. Offering maximum safety in any public space or hotel environment.

Key features



Tilt in steps of 0°, 7°, 12° and 15°



Fixed tilt position



Autolock[®]



Locking bar and padlock

PFW 4000 Series - Display wall mounts

For 19-42 inch displays

The PFW 4200 and PFW 4210 are suitable for 19 to 42 inch displays weighing up to 30 kg. These wall mounts are especially designed for hospitality and public areas that cannot be continuously supervised. The locking mechanism securely locks the display in place, while still allowing easy access to the display or TV for servicing. The lock also prevents the display from being accidentally knocked of the wall. The Vogel's PFW 4200 wall mount is only 27 mm deep. Making the mount almost invisible.

Up to 15° tilt for a better viewing angle

For displays mounted high on the wall, tilting the display forward helps to create a better viewing angle. The PFW 4210 tilting wall mount, 54 mm deep, can tilt up to 15° in steps of 5°.



PFW 4200 Display wall mount fixed




SIZE 48-107 cm / 19-42"

MAX. 30 kg / 66 lbs



- Fitment min. 50 x 50 mm, 75 x 75 mm, max. 200 x 200 mm
- Built-in wall plate level function
- Autolock®



mm (inch)

PFW 4210 Display wall mount tilt




48-107 cm / 19-42"

30 kg / 66 lbs



- Fitment min. 50 x 50 mm, 75 x 75 mm, max. 200 x 200 mm
- Tilt function: 0-5-10-15°
- Built-in wall plate level function
- Autolock®



mm (inch)

PFW 4000 Series - Display wall mounts

For 42-55 inch displays

The PFW 4500 locking fixed wall mount and PFW 4510 locking tilting display wall mount helps protect large flat panel displays in public areas against theft. These products are designed for public areas that cannot be continuously supervised. The Vogel's Autolock[®] mechanism securely locks the display in place, and the slim design creates a clean, elegant look.

The PFW 4500 and PFW 4510 feature a unique wall plate that allows installers to very precisely compensate for drilling tolerances to ensure level mounting. Mounting hardware is included. A solid security bar and padlock provide theft prevention while still allowing easy access to the display for servicing.

Up to 15° tilt for a better viewing angle

For displays mounted high on the wall, tilting the display forward helps create a better viewing angle. The PFW 4510 wall mount can tilt up to 15°, in 0°, 7°, 12° and 15° increments.

PFW 4500 Display wall mount fixed




SIZE 107-139 cm / 42-55"

MAX. 50 kg / 110 lbs



- Fitment min. 100 x 100 mm, max. 400 x 400 mm
- Lockingbar + padlock included
- Built-in wall plate level function
- Autolock[®]



mm (inch)


PFW 4510 Display wall mount tilt



107-139 cm / 42-55"

50 kg / 110 lbs

- Fitment min. 100 x 100 mm, max. 400 x 400 mm
- Tilt function: 0-7-12-15°
- Lockingbar + padlock included
- Built-in wall plate level function
- Autolock[®]



mm (inch)

PFW 4000 Series - Display wall mounts

For 55-65 inch displays

The PFW 4700 locking fixed wall mount and PFW 4710 Locking tilting display wall mount helps protect large flat panel displays in public areas against theft. These products are designed for public areas that cannot be continuously supervised. The Vogel's Autolock[®] mechanism securely locks the display in place, and the slim design creates a clean, elegant look.

The PFW 4700 and PFW 4710 feature a unique wall plate that allows installers to very precisely compensate for drilling tolerances to ensure level mounting. Mounting hardware is included. A solid security bar and padlock provide theft prevention while still allowing easy access to the display for servicing.

Up to 15° tilt for a better viewing angle

For displays mounted high on the wall, tilting the display forward helps create a better viewing angle. The PFW 4710 wall mount can tilt up to 15°, in 0°, 7°, 12° and 15° increments.



PFW 4700 Display wall mount fixed




SIZE 139-216 cm / 55-80"

MAX. 75 kg / 166 lbs



- Fitment min. 100 x 100 mm, max. 600 x 400 mm
- Lockingbar + padlock included
- Built-in wall plate level function
- Autolock[®]



mm (inch)


PFW 4710 Display wall mount tilt



139-165 cm / 55-65"

75 kg / 166 lbs

- Fitment min. 100 x 100 mm, max. 600 x 400 mm
- Tilt function: 0-7-12-15°
- Lockingbar + padlock included
- Built-in wall plate level function
- Autolock[®]



mm (inch)